


CLAIMS

WHAT IS CLAIMED IS:

- 5 1. A method of treating affective disorder,
 anxiety, depression, headache, irritable bowel
 syndrome, post-traumatic stress disorder, supranuclear
 palsy, immune suppression, Alzheimer's disease,
 10 gastrointestinal diseases, anorexia nervosa or other
 feeding disorder, drug addiction, drug or alcohol
 withdrawal symptoms, inflammatory diseases,
 cardiovascular or heart-related diseases, fertility
 problems, human immunodeficiency virus infections,
 hemorrhagic stress, obesity, infertility, head and
 15 spinal cord traumas, epilepsy, stroke, ulcers,
 amyotrophic lateral sclerosis, hypoglycemia or a
 disorder the treatment of which can be effected or
 facilitated by antagonizing CRF, including but not
 limited to disorders induced or facilitated by CRF, in
 20 mammals comprising administering to the mammal a
 therapeutically effective amount of a compound of
 Formula (1):



(1)

25

and isomers thereof, stereoisomeric forms thereof, or
 mixtures of stereoisomeric forms thereof, and

pharmaceutically acceptable salt forms thereof,
wherein:

- Ar is selected from phenyl, naphthyl, pyridyl,
5 pyrimidinyl, triazinyl, furanyl, thienyl,
benzothieryl, benzofuranyl, 2,3-
dihydrobenzofuranyl, 2,3-dihydrobenzothieryl,
indanyl, 1,2-benzopyranyl, 3,4-dihydro-1,2-
10 benzopyranyl, tetralinyl, each Ar optionally
substituted with 1 to 5 R⁴ groups and each Ar is
attached to an unsaturated carbon atom;
- R¹ is independently selected at each occurrence from
15 H, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl,
halo, CN, C₁-C₄ haloalkyl, C₁-C₁₂ hydroxyalkyl,
C₂-C₁₂ alkoxyalkyl, C₂-C₁₀ cyanoalkyl, C₃-C₆
cycloalkyl, C₄-C₁₀ cycloalkylalkyl, NR⁹R¹⁰, C₁-
C₄ alkyl-NR⁹R¹⁰, NR⁹COR¹⁰, OR¹¹, SH or S(O)_nR¹²;
- 20 R² is selected from H, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-
C₄ alkynyl, C₃-C₆ cycloalkyl, C₄-C₁₀
cycloalkylalkyl, C₁-C₄ hydroxyalkyl, halo, CN, -
NR⁶R⁷, NR⁹COR¹⁰, -NR⁶S(O)_nR⁷, S(O)_nNR⁶R⁷, C₁-
C₄ haloalkyl, -OR⁷, SH or -S(O)_nR¹²;
- 25 R³ is selected from NR^{6a}R^{7a} and OR⁷;
- R⁴ is independently selected at each occurrence from:
30 C₁-C₁₀ alkyl, C₂-C₁₀ alkenyl, C₂-C₁₀ alkynyl,
C₃-C₆ cycloalkyl, C₄-C₁₂ cycloalkylalkyl, NO₂,
halo, CN, C₁-C₄ haloalkyl, NR⁶R⁷, NR⁸COR⁷,
NR⁸CO₂R⁷, COR⁷, OR⁷, CONR⁶R⁷, CO(NOR⁹)R⁷, CO₂R⁷,
or S(O)_nR⁷, where each such C₁-C₁₀ alkyl, C₂-
C₁₀ alkenyl, C₂-C₁₀ alkynyl, C₃-C₆ cycloalkyl
35 and C₄-C₁₂ cycloalkylalkyl are optionally
substituted with 1 to 3 substituents

independently selected at each occurrence from
 C₁-C₄ alkyl, NO₂, halo, CN, NR⁶R⁷, NR⁸COR⁷,
 NR⁸CO₂R⁷, COR⁷ OR⁷, CONR⁶R⁷, CO₂R⁷, CO(NOR⁹)R⁷,
 or S(O)_nR⁷;

5

R⁶, R⁷, R^{6a} and R^{7a} are independently selected at each
 occurrence from:

-H,

-C₁-C₁₀ alkyl, C₃-C₁₀ alkenyl, C₃-C₁₀ alkynyl,
 10 C₁-C₁₀ haloalkyl with 1-10 halogens, C₂-C₈
 alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-
 C₁₂ cycloalkylalkyl, C₅-C₁₀ cycloalkenyl,
 or C₆-C₁₄ cycloalkenylalkyl, each
 optionally substituted with 1 to 3
 15 substituents independently selected at each
 occurrence from C₁-C₆ alkyl, C₃-
 C₆ cycloalkyl, halo, C₁-C₄ haloalkyl,
 cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵, CO₂R¹⁵,
 OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵,
 20 NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl,
 heteroaryl or heterocyclyl,
 -aryl, aryl(C₁-C₄ alkyl), heteroaryl,
 heteroaryl(C₁-C₄ alkyl), heterocyclyl or
 heterocyclyl(C₁-C₄ alkyl);

25

alternatively, NR⁶R⁷ and NR^{6a}R^{7a} are independently
 piperidine, pyrrolidine, piperazine, N-
 methylpiperazine, morpholine or thiomorpholine, each
 optionally substituted with 1-3 C₁-C₄ alkyl groups;

30

R⁸ is independently selected at each occurrence from H
 or C₁-C₄ alkyl;

35

R⁹ and R¹⁰ are independently selected at each
 occurrence from H, C₁-C₄ alkyl, or C₃-C₆
 cycloalkyl;

- R¹¹ is selected from H, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₃-C₆ cycloalkyl;
- 5 R¹² is C₁-C₄ alkyl or C₁-C₄ haloalkyl;
- R¹³ is selected from C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₂-C₈ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-C₁₂ cycloalkylalkyl, aryl, aryl(C₁-C₄ alkyl)-, heteroaryl or heteroaryl(C₁-C₄ alkyl)-;
- 10 R¹⁵ and R¹⁶ are independently selected at each occurrence from H, C₁-C₆ alkyl, C₃-C₁₀ cycloalkyl, C₄-C₁₆ cycloalkylalkyl, except that for S(O)_nR¹⁵, R¹⁵ cannot be H;
- 15 aryl is phenyl or naphthyl, each optionally substituted with 1 to 5 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹⁵, COR¹⁵, CO₂R¹⁵, OC(O)R¹⁵, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹⁵, NR¹⁶R¹⁵, and CONR¹⁶R¹⁵;
- 20 heteroaryl is pyridyl, pyrimidinyl, triazinyl, furanyl, pyranyl, quinolinyl, isoquinolinyl, thienyl, imidazolyl, thiazolyl, indolyl, pyrrolyl, oxazolyl, benzofuranyl, benzothienyl, benzothiazolyl, isoxazolyl, pyrazolyl, 2,3-dihydrobenzothienyl or 2,3-dihydrobenzofuranyl, each being optionally substituted with 1 to 5 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹⁵, -COR¹⁵, CO₂R¹⁵, OC(O)R¹⁵, NR⁸COR¹⁵,
- 25 30 35

$N(COR^{15})_2$, $NR^8CONR^{16}R^{15}$, $NR^8CO_2R^{15}$, $NR^{16}R^{15}$, and $CONR^{16}R^{15}$;

heterocyclyl is saturated or partially saturated
 5 heteroaryl, optionally substituted with 1 to 5
 substituents independently selected at each
 occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl,
 halo, C₁-C₄ haloalkyl, cyano, OR^{15} , SH,
 $S(O)_nR^{15}$, COR^{15} , CO_2R^{15} , $OC(O)R^{15}$, NR^8COR^{15} ,
 10 $N(COR^{15})_2$, $NR^8CONR^{16}R^{15}$, $NR^8CO_2R^{15}$, $NR^{15}R^{16}$, and
 $CONR^{16}R^{15}$;

n is independently at each occurrence 0, 1 or 2.


15 2. A method of claim 1 wherein, in the compound of
 Formula (1), Ar is phenyl, pyridyl or 2,3-
 dihydrobenzofuranyl, each optionally substituted with
 1 to 4 R^4 substituents.

20 3. A method of claim 1 wherein, in the compound of
 Formula (1), Ar is 2,4-dichlorophenyl, 2,4-
 dimethylphenyl or 2,4,6-trimethylphenyl, R^1 and R^2 are
 CH_3 , and R^3 is $NR^{6a}R^{7a}$.

25 4. A compound of Formula (1):

254

09015002 012898
 868210 20051060



(1)

and isomers thereof, stereoisomeric forms thereof, or
 5 mixtures of stereoisomeric forms thereof, and
 pharmaceutically acceptable salt forms thereof
 wherein:

Ar is selected from phenyl, naphthyl, pyridyl,
 10 pyrimidinyl, triazinyl, furanyl, thienyl,
 benzothienyl, benzofuranyl, 2,3-
 dihydrobenzofuranyl, 2,3-dihydrobenzothienyl,
 indanyl, 1,2-benzopyranyl, 3,4-dihydro-1,2-
 benzopyranyl, tetralinyl, each Ar optionally
 15 substituted with 1 to 5 R⁴ groups and each Ar is
 attached to an unsaturated carbon atom;

R¹ is independently selected at each occurrence from
 H, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl,
 20 halo, CN, C₁-C₄ haloalkyl, C₁-C₁₂ hydroxyalkyl,
 C₂-C₁₂ alkoxyalkyl, C₂-C₁₀ cyanoalkyl, C₃-C₆
 cycloalkyl, C₄-C₁₀ cycloalkylalkyl, NR⁹R¹⁰, C₁-
 C₄ alkyl-NR⁹R¹⁰, NR⁹COR¹⁰, OR¹¹, SH or S(O)_nR¹²;

25 R² is selected from H, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-
 C₄ alkynyl, C₃-C₆ cycloalkyl, C₄-C₁₀
 cycloalkylalkyl, C₁-C₄ hydroxyalkyl, halo, CN, -

255

09015002 012898

NR⁶R⁷, NR⁹COR¹⁰, -NR⁶S(O)_nR⁷, S(O)_nNR⁶R⁷, C₁-C₄ haloalkyl, -OR⁷, SH or -S(O)_nR¹²;

R³ is selected from NR^{6a}R^{7a} and OR⁷;

5

R⁴ is independently selected at each occurrence from:

C₁-C₁₀ alkyl, C₂-C₁₀ alkenyl, C₂-C₁₀ alkynyl, C₃-C₆ cycloalkyl, C₄-C₁₂ cycloalkylalkyl, NO₂, halo, CN, C₁-C₄ haloalkyl, NR⁶R⁷, NR⁸COR⁷,
 10 NR⁸CO₂R⁷, COR⁷, OR⁷, CONR⁶R⁷, CO(NOR⁹)R⁷, CO₂R⁷, or S(O)_nR⁷, where each such C₁-C₁₀ alkyl, C₂-C₁₀ alkenyl, C₂-C₁₀ alkynyl, C₃-C₆ cycloalkyl and C₄-C₁₂ cycloalkylalkyl are optionally

15

substituted with 1 to 3 substituents independently selected at each occurrence from C₁-C₄ alkyl, NO₂, halo, CN, NR⁶R⁷, NR⁸COR⁷, NR⁸CO₂R⁷, COR⁷, OR⁷, CONR⁶R⁷, CO₂R⁷, CO(NOR⁹)R⁷, or S(O)_nR⁷;

20 R⁶, R⁷, R^{6a} and R^{7a} are independently selected at each occurrence from:

-H,

-C₁-C₁₀ alkyl, C₃-C₁₀ alkenyl, C₃-C₁₀ alkynyl, C₁-C₁₀ haloalkyl with 1-10 halogens, C₂-C₈ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-C₁₂ cycloalkylalkyl, C₅-C₁₀ cycloalkenyl, or C₆-C₁₄ cycloalkenylalkyl, each

25

optionally substituted with 1 to 3 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl,

30

cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵, CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl,

35

heteroaryl or heterocyclyl,

- aryl, aryl(C₁-C₄ alkyl), heteroaryl,
heteroaryl(C₁-C₄ alkyl), heterocyclyl or
heterocyclyl(C₁-C₄ alkyl),
alternatively, NR⁶R⁷ and NR^{6a}R^{7a} are independently
5 piperidine, pyrrolidine, piperazine, N-
methylpiperazine, morpholine or thiomorpholine, each
optionally substituted with 1-3 C₁-C₄ alkyl groups;
- R⁸ is independently selected at each occurrence from H
10 or C₁-C₄ alkyl;
- R⁹ and R¹⁰ are independently selected at each
occurrence from H, C₁-C₄ alkyl, or C₃-C₆
cycloalkyl;
15
- R¹¹ is selected from H, C₁-C₄ alkyl, C₁-C₄ haloalkyl,
or C₃-C₆ cycloalkyl;
- R¹² is C₁-C₄ alkyl or C₁-C₄ haloalkyl;
20
- R¹³ is selected from C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₂-
C₈ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-
C₁₂ cycloalkylalkyl, aryl, aryl(C₁-C₄ alkyl)-,
heteroaryl or heteroaryl(C₁-C₄ alkyl)-;
25
- R¹⁵ and R¹⁶ are independently selected at each
occurrence from H, C₁-C₆ alkyl, C₃-C₁₀
cycloalkyl, C₄-C₁₆ cycloalkylalkyl, except that
for S(O)_nR¹⁵, R¹⁵ cannot be H;
30
- aryl is phenyl or naphthyl, each optionally
substituted with 1 to 5 substituents
independently selected at
each occurrence from C₁-C₆ alkyl, C₃-
35 C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano,

OR¹⁵, SH, S(O)_nR¹⁵, COR¹⁵, CO₂R¹⁵, OC(O)R¹⁵,
 NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹⁵,
 NR¹⁶R¹⁵, and CONR¹⁶R¹⁵;

- 5 heteroaryl is pyridyl, pyrimidinyl, triazinyl,
 furanyl, pyranyl, quinolinyl, isoquinolinyl,
 thienyl, imidazolyl, thiazolyl, indolyl,
 pyrrolyl, oxazolyl, benzofuranyl, benzothienyl,
 benzothiazolyl, isoxazolyl, pyrazolyl, 2,3-
 10 dihydrobenzothienyl or 2,3-dihydrobenzofuranyl,
 each being optionally substituted with 1 to 5
 substituents independently selected at each
 occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl,
 halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH,
 15 S(O)_nR¹⁵, -COR¹⁵, CO₂R¹⁵, OC(O)R¹⁵, NR⁸COR¹⁵,
 N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹⁵, NR¹⁶R¹⁵, and
 CONR¹⁶R¹⁵;

- heterocyclyl is saturated or partially saturated
 20 heteroaryl, optionally substituted with 1 to 5
 substituents independently selected at each
 occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl,
 halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH,
 S(O)_nR¹⁵, COR¹⁵, CO₂R¹⁵, OC(O)R¹⁵, NR⁸COR¹⁵,
 25 N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹⁵, NR¹⁵R¹⁶, and
 CONR¹⁶R¹⁵;

n is independently at each occurrence 0, 1 or 2;

- 30 with the provisos that:

- (1) when R² is H and R³ is -OR⁷ and R⁷ is H, then
 R¹ is not H, OH or SH;

0005002-012898
 868270-20057060

- (2) when R^1 is CH_3 or C_2H_5 and R^2 is H, and R^3 is OH, NHC_4H_9 , or $N(C_2H_5)_2$, then Ar is not phenyl or m- CH_3 -phenyl;
- 5 (3) when R^2 is H and Ar is pyridyl, pyrimidinyl or pyrazinyl, and R^3 is $NR^{6a}R^{7a}$, then R^{6a} and R^{7a} are not H or alkyl;
- (4) when R^2 is $SO_2NR^{6R^7}$, then R^3 is not OH; and
- 10 (5) when R^2 is $-NR^6SO_2R^7$ or $-SO_2NR^{6R^7}$, then R^3 is not OH.

- 15 ²~~2~~. A compound of claim ¹~~1~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof with the additional provisos that: (1) when R^1 is H, C_1 - C_4 alkyl, halo, CN, C_1 - C_{12} hydroxyalkyl, C_1 - C_4 alkoxyalkyl or $SO_2(C_1$ - C_4 alkyl) and R^3 is $NR^{6a}R^{7a}$ and R^{6a} is unsubstituted C_1 - C_4 alkyl, then R^{7a} is not phenyl, naphthyl, thienyl, benzothienyl, pyridyl, quinolyl, pyrazinyl, furanyl, benzofuranyl, benzothiazolyl, indolyl or C_3 - C_6 cycloalkyl; and (2) when R^1 is H, C_1 - C_4 alkyl, halo, CN, C_1 - C_{12} hydroxyalkyl, C_1 - C_4 alkoxyalkyl or $SO_2(C_1$ - C_4 alkyl) and R^3 is $NR^{6a}R^{7a}$ and R^{7a} is unsubstituted C_1 - C_4 alkyl, then R^{6a} is not phenyl, naphthyl, thienyl, benzothienyl, pyridyl, quinolyl, pyrazinyl, furanyl, benzofuranyl, benzothiazolyl, indolyl or C_3 - C_6 cycloalkyl.

- 30 ³~~3~~. A compound of claim ¹~~1~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein: Ar is phenyl,

pyridyl or 2,3-dihydrobenzofuranyl, each optionally substituted with 1 to 4 R⁴ substituents.

- ⁴
7. A compound of claim ³~~8~~ and isomers thereof,
5 stereoisomeric forms thereof, or mixtures of
stereoisomeric forms thereof, and pharmaceutically
acceptable salt forms thereof wherein: Ar is 2,4-
dichlorophenyl, 2,4-dimethylphenyl or 2,4,6-
trimethylphenyl, and R¹ and R² are CH₃.
- 10 ⁵
~~8~~. A pharmaceutical composition comprising a
pharmaceutically acceptable carrier and a therapeutical-
ly effective amount of a compound of claim ~~4~~ ¹!
- 15 ⁶
~~9~~. A pharmaceutical composition comprising a
pharmaceutically acceptable carrier and a therapeutical-
ly effective amount of a compound of claim ~~5~~ ³.
- 20 ⁷
~~10~~. A pharmaceutical composition comprising a
pharmaceutically acceptable carrier and a therapeutical-
ly effective amount of a compound of claim ~~6~~ ⁴.
- 25 ⁸
~~11~~. A compound of claim ~~7~~ ³ and isomers thereof,
stereoisomeric forms thereof, or mixtures of
stereoisomeric forms thereof, and pharmaceutically
acceptable salt forms thereof wherein:

R^{6a} is independently selected from:

- 30 -H,
-C₁-C₁₀ alkyl, C₃-C₁₀ alkenyl, C₃-C₁₀ alkynyl,
C₁-C₁₀ haloalkyl with 1-10 halogens, C₂-C₈
alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-
C₁₂ cycloalkylalkyl, C₅-C₁₀ cycloalkenyl,
or C₆-C₁₄ cycloalkenylalkyl, each
35 optionally substituted with 1 to 3
substituents independently selected at each

2nd

09015002.012898
268210.20051066

- occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵, CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl, heteroaryl or heterocyclyl, -aryl, aryl(C₁-C₄ alkyl)-, heteroaryl, heteroaryl(C₁-C₄ alkyl)-, heterocyclyl or heterocyclyl(C₁-C₄ alkyl)-; and
- 10 R^{7a} is independently selected at each occurrence from:
- H,
- C₅-C₁₀ alkyl, C₃-C₁₀ alkenyl, C₃-C₁₀ alkynyl, C₁-C₁₀ haloalkyl with 1-10 halogens, C₂-C₈ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-C₁₂ cycloalkylalkyl, C₅-C₁₀ cycloalkenyl, or C₆-C₁₄ cycloalkenylalkyl, each optionally substituted with 1 to 3 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵, CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl, heteroaryl or heterocyclyl, -aryl, aryl(C₁-C₄ alkyl), heteroaryl, heteroaryl(C₁-C₄ alkyl), heterocyclyl or heterocyclyl(C₁-C₄ alkyl);

- alternatively, NR⁶R⁷ and NR^{6a}R^{7a} are independently piperidine, pyrrolidine, piperazine, N-methylpiperazine, morpholine or thiomorpholine, each optionally substituted with 1-3 C₁-C₄ alkyl groups.

- ⁹
12. A compound of claim ³~~6~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of

09015002-012298

stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein:

R^{6a} and R^{7a} are identical and are selected from:

- 5 -C₁-C₄ alkyl or C₃-C₆ cycloalkyl, each optionally substituted with 1 to 3 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, -COR¹⁵,
 10 CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl, heteroaryl or heterocyclyl, and
 -aryl or heteroaryl.

- 15 ¹⁰
~~13.~~ A compound of claim ¹⁰~~6~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein:

- 20 R^{6a} is selected from:

- H,
 -C₁-C₁₀ alkyl, C₃-C₁₀ alkenyl, C₃-C₁₀ alkynyl, C₁-C₁₀ haloalkyl with 1-10 halogens, C₂-C₈ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-
 25 C₁₂ cycloalkylalkyl, C₅-C₁₀ cycloalkenyl, or C₆-C₁₄ cycloalkenylalkyl, each optionally substituted with 1 to 3 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-
 30 C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵, CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl, heteroaryl or heterocyclyl,

-aryl, aryl(C₁-C₄ alkyl), heteroaryl,
heteroaryl(C₁-C₄ alkyl), heterocyclyl or
heterocyclyl(C₁-C₄ alkyl);

R^{7a} is selected from:

- 5 -C₁-C₄ alkyl and each such C₁-C₄ alkyl is
substituted with 1-3 substituents
independently selected at each occurrence from
C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄
haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵,
10 CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂,
NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵,
aryl, heteroaryl or heterocyclyl.

- ¹¹
~~14~~. A compound of claim ~~6~~³ and isomers thereof,
15 stereoisomeric forms thereof, or mixtures of
stereoisomeric forms thereof, and pharmaceutically
acceptable salt forms thereof wherein:

- one of R^{6a} and R^{7a} is selected from:
20 -C₃-C₆ cycloalkyl, each such C₃-C₆ cycloalkyl
optionally substituted with 1-3 substituents
independently selected at each occurrence from
C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄
haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵,
25 CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂,
NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵,
aryl, heteroaryl or heterocyclyl,
-aryl,
-heteroaryl or
30 -heterocyclyl,
and the other of R^{6a} and R^{7a} is unsubstituted C₁-C₄
alkyl.

- ¹²
~~15~~. A compound of claim ~~6~~³ and isomers thereof,
35 stereoisomeric forms thereof, or mixtures of

stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein R^{6a} and R^{7a} are independently H or C₁-C₁₀ alkyl, each such C₁-C₁₀ alkyl optionally substituted with

5 1 to 3 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵, CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, R⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl,

10 heteroaryl or heterocyclyl.

13

~~18.~~ A compound of claim ~~4~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically

15 acceptable salt forms thereof wherein:

-Ar is phenyl, pyridyl or 2,3-dihydrobenzofuranyl, and each Ar is optionally substituted with 1 to 4 R⁴ substituents;

-R¹ and R² are independently selected from H, C₁-C₄

20 alkyl, C₃-C₆ cycloalkyl, C₄-C₁₀ cycloalkylalkyl.

14

~~17.~~ A compound of claim ~~11~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically

25 acceptable salt forms thereof wherein:

-Ar is phenyl, pyridyl or 2,3-dihydrobenzofuranyl, and each Ar is optionally substituted with 1 to 4 R⁴ substituents;

30 -R¹ and R² are independently selected from H, C₁-C₄ alkyl, C₃-C₆ cycloalkyl, C₄-C₁₀ cycloalkylalkyl.

15

~~18.~~ A compound of claim ~~12~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of

35 stereoisomeric forms thereof, or mixtures of

264

09015002.012899

stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein:

-Ar is phenyl, pyridyl or 2,3-dihydrobenzofuranyl, and each Ar is optionally substituted with 1 to 4 R⁴ substituents;

-R¹ and R² are independently selected from H, C₁-C₄ alkyl, C₃-C₆ cycloalkyl, C₄-C₁₀ cycloalkylalkyl.

10 ¹⁶
~~19.~~ A compound of claim ¹⁰~~13~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein:

-Ar is phenyl, pyridyl or 2,3-dihydrobenzofuranyl, and each Ar is optionally substituted with 1 to 4 R⁴ substituents;

-R¹ and R² are independently selected from H, C₁-C₄ alkyl, C₃-C₆ cycloalkyl, C₄-C₁₀ cycloalkylalkyl.

20 ¹⁷
~~20.~~ A compound of claim ¹¹~~14~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein:

-Ar is phenyl, pyridyl or 2,3-dihydrobenzofuranyl, and each Ar is optionally substituted with 1 to 4 R⁴ substituents;

-R¹ and R² are independently selected from H, C₁-C₄ alkyl, C₃-C₆ cycloalkyl, C₄-C₁₀ cycloalkylalkyl.

30 ¹⁸
~~21.~~ A compound of claim ¹³~~16~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein:

215

09015002-012898

-C₃-C₆ cycloalkyl, each such C₃-C₆ cycloalkyl optionally substituted with 1-3 substituents independently selected at each occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl, halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³, COR¹⁵, CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂, NR⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl, heteroaryl or heterocyclyl,

-aryl,

-heteroaryl or

-heterocyclyl,

15 ¹⁹ ¹³
22. A compound of claim ~~16~~ and isomers thereof,
stereoisomeric forms thereof, or mixtures of
stereoisomeric forms thereof, and pharmaceutically
acceptable salt forms thereof wherein
20 R^{6a} and R^{7a} are independently H or C₁-C₁₀ alkyl,
each such C₁-C₁₀ alkyl optionally substituted with
1 to 3 substituents independently selected at each
occurrence from C₁-C₆ alkyl, C₃-C₆ cycloalkyl,
halo, C₁-C₄ haloalkyl, cyano, OR¹⁵, SH, S(O)_nR¹³,
25 COR¹⁵, CO₂R¹⁵, OC(O)R¹³, NR⁸COR¹⁵, N(COR¹⁵)₂,
R⁸CONR¹⁶R¹⁵, NR⁸CO₂R¹³, NR¹⁶R¹⁵, CONR¹⁶R¹⁵, aryl,
heteroaryl or heterocyclyl.

-268-

266

21

~~22~~

24. A compound of claim ¹~~4~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein R² is selected from H, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, C₃-C₆ cycloalkyl, C₄-C₁₀ cycloalkylalkyl, C₁-C₄ hydroxyalkyl, halo, CN, -NR⁶R⁷, C₁-C₄ haloalkyl, -OR⁷.

22

10 25. A compound of claim ¹~~4~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein R⁴ is independently selected at each occurrence from: H, C₁-C₁₀ alkyl, C₂-C₁₀ alkenyl, C₂-C₁₀ alkynyl, C₃-C₆ cycloalkyl, C₄-C₁₂ cycloalkylalkyl, halo, CN, C₁-C₄ haloalkyl, NR⁶R⁷, COR⁷, OR⁷, S(O)_n(C₁-C₁₀ alkyl), where each such C₁-C₁₀ alkyl, C₂-C₁₀ alkenyl, C₂-C₃-C₆ cycloalkyl and C₄-C₁₂ cycloalkylalkyl are

15

20 optionally substituted with 1 to 3 substituents independently selected at each occurrence from C₁-C₄ alkyl, NR⁶R⁷, COR⁷, OR⁷, CO₂R⁷ and where R⁷ in SONR⁷ is C₁-C₁₀ alkyl.

23


25 26. A compound of claim ¹~~4~~ and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof wherein R⁴ is independently selected at each occurrence from: H, C₁-C₁₀ alkyl, C₁-C₄ alkoxy, halo, CN and -NR⁶R⁷.

24 The compound of claim 1 which is a

27. ~~A compound of Formula (50)~~

267

09015002.012898



FORMULA (50)

- 5 and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof, selected from the group consisting of:
- 10 a compound of Formula (50) wherein R^3 is $-NHCH(n-Pr)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $-N(CH_2CH_2OMe)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $-NHCH(Et)(n-Bu)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $-NHCH(Et)(CH_2OMe)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OEt)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $-N(Me)(Ph)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-NHCH(Et)(n-Pr)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OMe)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is Me;
- 15 a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OMe)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $-N(CH_2CH_2OMe)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $-NHCH(Et)(CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $-OEt$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-N(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $-N(CH_2CN)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $-NHCH(Me)(CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;

- 5 a compound of Formula (50) wherein R^3 is -
 $OCH(Et)(CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me,
 R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is -N(n-
 $Pr)(CH_2CPr)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is
H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is -
 $NHCH(Me)(CH_2N(Me)_2)$, R^{4a} is Me, R^{4b} is H, R^{4c} is
Me, R^{4d} is H and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is -
 $N(cPr)(CH_2CH_2CN)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me,
 R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is -N(n-
 $Bu)(CH_2CN)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is
H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is -
 $NHCH(Et)(CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me,
 R^{4d} is H and R^{4e} is Me;
- 35 a compound of Formula (50) wherein R^3 is -N(CH₂CH₂OMe)₂,
 R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is
Me;
- 40 a compound of Formula (50) wherein R^3 is -NHCH(CH₂OMe)₂,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;

- a compound of Formula (50) wherein R^3 is -
 $NHCH(Et)(CH_2OMe)$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe,
 R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $-N(Et)_2$, R^{4a} is
 Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is Me;
- a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OEt)_2$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is
 10 Me;
- a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2CH_2OMe)(CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c}
 is Me, R^{4d} is H and R^{4e} is Me;
 15
- a compound of Formula (50) wherein R^3 is morpholino, R^{4a}
 is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-N(CH_2CH_2OMe)_2$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 20 is H;
- a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a}
 is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
 25
- a compound of Formula (50) wherein R^3 is $-NH(c-Pr)$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OMe)_2$,
 R^{4a} is CN, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 30 is H;
- a compound of Formula (50) wherein R^3 is $-N(c-$
 $Pr)(CH_2CH_2CN)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d}
 35 is H and R^{4e} is Me;
- a compound of Formula (50) wherein R^3 is $-NCH(CH_2OMe)_2$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is Br, R^{4d} is H and R^{4e} is
 40 H;

- a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c}
 is Br, R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OMe)_2$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 10 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is
 H;
- 15 a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OMe)_2$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is
 H;
- 20 a compound of Formula (50) wherein R^3 is -
 $NHCH(Et)(CH_2OMe)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Me,
 R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Cl, R^{4b} is H, R^{4c}
 is Me, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $-N(c-$
 Pr) (CH_2CH_2CN) , R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d}
 is Me and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $-N(c-$
 Pr) (CH_2CH_2CN) , R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d}
 is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is (S)-
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Cl, R^{4b} is H, R^{4c}
 is Cl, R^{4d} is H and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Cl, R^{4b} is H, R^{4c}
 is Cl, R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is Br, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is -
 $NH(CH_2OMe)(CH_2-iPr)$, R^{4a} is Me, R^{4b} is H, R^{4c} is
 10 Me, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-N(CH_2CH_2OMe)_2$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is H, R^{4d} is H and R^{4e} is
 15 H;
- a compound of Formula (50) wherein R^3 is $-N(CH_2CH_2OMe)_2$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is NMe₂, R^{4d} is H and R^{4e}
 is H;
- 20 a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2OMe)(n-Pr)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me,
 R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is -
 25 $NHCH(CH_2OEt)(Et)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me,
 R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c}
 30 is NMe₂, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-N(Et)_2$, R^{4a} is
 Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-N(CH_2CH_2OMe)_2$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is
 40 H;

- a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OMe)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $-N(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is Br, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-N(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is NMe₂, R^{4d} is H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is (S)-
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Me, R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is (S)-
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is -
 $NHCH(CH_2OMe)(CH_2CH_2OMe)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $-N(c-Pr)(CH_2CH_2CN)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $-NH(Et)(CH_2CN)$, R^{4a} is Me, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is $-N(Et)_2$, R^{4a} is Me, R^{4b} is Me, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is -
 $N(CH_2CH_2OMe)(CH_2CH_2OH)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $-N(CH_2CH_2OMe)_2$,
 R^{4a} is Me, R^{4b} is Me, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a} is Me, R^{4b} is Me, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $-N(c-Pr)(CH_2CH_2CN)$, R^{4a} is Me, R^{4b} is Me, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is -
 $NHCH(Et)(CH_2OMe)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $-N(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is CN, R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $-N(c-Pr)(CH_2CH_2CN)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $-NHCH(CH_2OH)_2$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is Cl, R^{4d} is H and R^{4e} is H; and

- a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Pr)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)propargyl$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;

- 5 a compound of Formula (50) wherein R^3 is N(Et)propargyl,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;
- a compound of Formula (50) wherein R^3 is
NHCH(CH₃)CH(CH₃)CH₃, R^{4a} is Me, R^{4b} is H, R^{4c} is
OMe, R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-
CH₂CH=CH₂, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is
H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Me,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;
- 20 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Et,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;
- 25 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Pr,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;
- a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-
CH₂cPr, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H
and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is
NHCH(CH₃)CH₂CH₃, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe,
 R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is NHCH(cPr)₂, R^{4a}
is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-
1-yl, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me
and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)propargyl$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Et)propargyl$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is
 $NHCH(CH_3)CH(CH_3)CH_3$, R^{4a} is Me, R^{4b} is H, R^{4c} is
 OMe, R^{4d} is Me and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-$
 $CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is
 Me and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Me$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 15 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 20 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 25 a compound of Formula (50) wherein R^3 is
 $NHCH(CH_3)CH_2CH_3$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe,
 R^{4d} is Me and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is
 H;
- 35 a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is
 H;
- 40 a compound of Formula (50) wherein R^3 is $-NHCH(Et)_2$, R^{4a}
 is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is
 H;

- a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2cPr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)propargyl$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is N(Et)propargyl,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 5 a compound of Formula (50) wherein R^3 is
 NHCH(CH₃)CH(CH₃)CH₃, R^{4a} is OMe, R^{4b} is H, R^{4c} is
 OMe, R^{4d} is H and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-
 CH₂CH=CH₂, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is
 H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Me,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 20 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Et,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Pr,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 25 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-
 CH₂cPr, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H
 and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is
 NHCH(CH₃)CH₂CH₃, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe,
 R^{4d} is H and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is NHCH(cPr)₂, R^{4a}
 is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is
 H;
- 40 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)₂,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- a compound of Formula (50) wherein R^3 is NHCH(Et)₂, R^{4a}
 is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is
 H;

- a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2cPr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is N(Me)propargyl,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 5 a compound of Formula (50) wherein R^3 is N(Et)propargyl,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 10 a compound of Formula (50) wherein R^3 is
 NHCH(CH₃)CH(CH₃)CH₃, R^{4a} is OMe, R^{4b} is H, R^{4c} is
 OMe, R^{4d} is Me and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-
 CH₂CH=CH₂, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is
 Me and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Me,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 25 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Et,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;
- 30 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-
 CH₂cPr, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me
 and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is
 NHCH(CH₃)CH₂CH₃, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe,
 R^{4d} is Me and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is NHCH(cPr)₂, R^{4a}
 is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is
 H;
- a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)₂,
 R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e}
 is H;

283

~~283~~~~283~~

09015002 012898 868210 20051060

- a compound of Formula (50) wherein R^3 is $\text{NHCH}(\text{Et})_2$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $\text{N}(\text{Et})_2$, R^{4a} is OMe, R^{4b} is H, R^{4c} is OMe, R^{4d} is Me and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 15 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 20 a compound of Formula (50) wherein R^3 is $\text{N}(\text{Me})\text{CH}_2\text{CH}=\text{CH}_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 25 a compound of Formula (50) wherein R^3 is $\text{N}(\text{Et})\text{CH}_2\text{CH}=\text{CH}_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- a compound of Formula (50) wherein R^3 is $\text{N}(\text{Me})\text{CH}_2\text{CPr}$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 30 a compound of Formula (50) wherein R^3 is $\text{N}(\text{Et})\text{CH}_2\text{CPr}$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 35 a compound of Formula (50) wherein R^3 is $\text{N}(\text{Pr})\text{CH}_2\text{CPr}$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 40 a compound of Formula (50) wherein R^3 is $\text{N}(\text{Me})\text{Pr}$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- a compound of Formula (50) wherein R^3 is $\text{N}(\text{Me})\text{Et}$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;

- a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 5 a compound of Formula (50) wherein R^3 is $N(Me)propargyl$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 10 a compound of Formula (50) wherein R^3 is $N(Et)propargyl$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 15 a compound of Formula (50) wherein R^3 is $NHCH(CH_3)CH(CH_3)CH_3$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 20 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 25 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Me$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 30 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 35 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- 40 a compound of Formula (50) wherein R^3 is $NHCH(CH_3)CH_2CH_3$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;

284 285

09015002 012893

- 5 a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is Me;
- a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 10 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 15 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 20 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 25 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 30 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 35 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;

~~287~~ 286

09015002.012898

- a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 5 a compound of Formula (50) wherein R^3 is $N(Me)propargyl$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 10 a compound of Formula (50) wherein R^3 is $N(Et)propargyl$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 15 a compound of Formula (50) wherein R^3 is $NHCH(CH_3)CH(CH_3)CH_3$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 20 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 25 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 30 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 35 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- a compound of Formula (50) wherein R^3 is $NHCH(CH_3)CH_2CH_3$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 40 a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;

- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 5 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 10 a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 15 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 20 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 25 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 30 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 35 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 35 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;

289 288

09015002-012898

- a compound of Formula (50) wherein R^3 is N(Me)Pr, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 5 a compound of Formula (50) wherein R^3 is N(Me)Et, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- a compound of Formula (50) wherein R^3 is N(Me)Bu, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 10 a compound of Formula (50) wherein R^3 is N(Me)propargyl, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- a compound of Formula (50) wherein R^3 is N(Et)propargyl, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 15 a compound of Formula (50) wherein R^3 is NHCH(CH₃)CH(CH₃)CH₃, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 20 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-CH₂CH=CH₂, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 25 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Me, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 30 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Et, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)Pr, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 35 a compound of Formula (50) wherein R^3 is N(CH₂CH₂OMe)-CH₂cPr, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 40

200 289

09015002 012898

- a compound of Formula (50) wherein R^3 is
 $NHCH(CH_3)CH_2CH_3$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe,
 R^{4d} is H and R^{4e} is OMe;
- 5 a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a}
is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is
OMe;
- 10 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)_2$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is OMe;
- 15 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a}
is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is
OMe;
- a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a} is
Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is OMe;
- 20 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a}
is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is 2-ethylpiperid-
1-yl, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and
25 R^{4e} is H;
- a compound of Formula (50) wherein R^3 is cyclobutyl-
amino, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H
and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;
- 35 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;
- a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$,
40 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
is H;

291 290

09015002.012898

- a compound of Formula (50) wherein R^3 is $N(Et)CH_2CPr$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 5 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2CPr$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 10 a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is
 Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is
 Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is
 Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)propargyl$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Et)propargyl$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 25 a compound of Formula (50) wherein R^3 is
 $NHCH(CH_3)CH(CH_3)CH_3$, R^{4a} is Cl, R^{4b} is H, R^{4c} is
 OMe, R^{4d} is H and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-$
 $CH_2CH=CH_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is
 H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Me$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 35 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is H and R^{4e}
 is H;
- 40

- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is H and R^{4e} is H ;
- 5 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is H and R^{4e} is H ;
- 10 a compound of Formula (50) wherein R^3 is $NHCH(CH_3)CH_2CH_3$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is H and R^{4e} is H ;
- 15 a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is H and R^{4e} is H ;
- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)_2$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is H and R^{4e} is H ;
- 20 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is H and R^{4e} is H ;
- a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is H and R^{4e} is H .
- 25 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is F and R^{4e} is H ;
- 30 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is F and R^{4e} is H ;
- a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is F and R^{4e} is H ;
- 35 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is Cl , R^{4b} is H , R^{4c} is OMe , R^{4d} is F and R^{4e} is H ;
- 40


293 292

09015002.012898

- a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e}
 is H;
- 5 a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e}
 is H;
- 10 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e}
 is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2cPr$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e}
 is H;
- a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is
 Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is
 Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is
 Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $N(Me)propargyl$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e}
 is H;
- 30 a compound of Formula (50) wherein R^3 is
 $NH(CH(CH_3)CH(CH_3)CH_3$, R^{4a} is Cl, R^{4b} is H, R^{4c} is
 OMe, R^{4d} is F and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-$
 $CH_2CH=CH_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is
 F and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Me$,
 R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e}
 is H;
- 40

244 293

0015002 012898

- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $NH(CH(CH_3)CH_2CH_3)$, R^{4a} is Cl, R^{4b} is F, R^{4c} is OMe, R^{4d} is H and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
-  a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H.
- 30 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CPr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CPr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2CPr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(Me)propargyl$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $NH(CH(CH_3)CH(CH_3)CH_3)$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CH=CH_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;

- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Me$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CPr$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $NHCH(CH_3)CH_2CH_3$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- ✓ 35 a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a} is Cl, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H.
- a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;

297 296

09015002 012898

- 5 a compound of Formula (50) wherein R^3 is cyclobutyl-
amino, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe
and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(Me)CH_2CH=CH_2$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
is H;
- 15 a compound of Formula (50) wherein R^3 is $N(Et)CH_2CH=CH_2$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
is H;
- 20 a compound of Formula (50) wherein R^3 is $N(Me)CH_2cPr$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e}
is H;
- 25 a compound of Formula (50) wherein R^3 is $N(Et)CH_2cPr$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
is H;
- 30 a compound of Formula (50) wherein R^3 is $N(Pr)CH_2cPr$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
is H;
- 35 a compound of Formula (50) wherein R^3 is $N(Me)Pr$, R^{4a} is
Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is $N(Me)Et$, R^{4a} is
Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 45 a compound of Formula (50) wherein R^3 is $N(Me)Bu$, R^{4a} is
Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 50 a compound of Formula (50) wherein R^3 is $N(Me)propargyl$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
is H;
- 55 a compound of Formula (50) wherein R^3 is
 $NH(CH(CH_3)CH(CH_3)CH_3$, R^{4a} is Br, R^{4b} is H, R^{4c} is
OMe, R^{4d} is OMe and R^{4e} is H;

298 297

09015002.012898

- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CH=CH_2$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Me$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is $NH(CH(CH_3)CH_2CH_3)$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)_2$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- ✓ a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H.
- 40 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;

29A 288

09015002-012898

- 5 a compound of Formula (50) wherein R^3 is 2-ethylpiperid-1-yl, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is cyclobutyl-amino, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 15 a compound of Formula (50) wherein R^3 is N(Me)CH₂CH=CH₂, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 20 a compound of Formula (50) wherein R^3 is N(Et)CH₂CH=CH₂, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is N(Me)CH₂cPr, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is F and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is N(Et)CH₂cPr, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 35 a compound of Formula (50) wherein R^3 is N(Pr)CH₂cPr, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- 40 a compound of Formula (50) wherein R^3 is N(Me)Pr, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is N(Me)Et, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is N(Me)Bu, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;
- a compound of Formula (50) wherein R^3 is N(Me)propargyl, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H;

200 299


B68270-2005T060

- a compound of Formula (50) wherein R^3 is
 $NH(CH(CH_3)CH(CH_3)CH_3$, R^{4a} is Br, R^{4b} is H, R^{4c} is
 OMe, R^{4d} is OMe and R^{4e} is H;
- 5 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-$
 $CH_2CH=CH_2$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is
 F and R^{4e} is H;
- 10 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Me$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
 is H;
- 15 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Et$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
 is H;
- 20 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)Pr$,
 R^{4a} is Br, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
 is H;
- a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)-$
 CH_2cPr , R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe
 and R^{4e} is H;
- 25 a compound of Formula (50) wherein R^3 is
 $NH(CH(CH_3)CH_2CH_3$, R^{4a} is Me, R^{4b} is H, R^{4c} is OMe,
 R^{4d} is OMe and R^{4e} is H;
- 30 a compound of Formula (50) wherein R^3 is $NHCH(cPr)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is
 H;
- 35 a compound of Formula (50) wherein R^3 is $N(CH_2CH_2OMe)_2$,
 R^{4a} is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e}
 is H;
- 40 a compound of Formula (50) wherein R^3 is $NHCH(Et)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is
 H; and
- a compound of Formula (50) wherein R^3 is $N(Et)_2$, R^{4a}
 is Me, R^{4b} is H, R^{4c} is OMe, R^{4d} is OMe and R^{4e} is H.

20f 300

09015002-012898

25
28. A compound of claim 4 of Formula (60)



FORMULA (60)

5

and isomers thereof, stereoisomeric forms thereof, or mixtures of stereoisomeric forms thereof, and pharmaceutically acceptable salt forms thereof, selected from the group consisting of:

10

a compound of Formula (60) wherein R^3 is $NHCH(Et)_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;

15

a compound of Formula (60) wherein R^3 is 2-ethylpiperid-1-yl, Ar is 6-dimethylamino-4-methylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is cyclobutyl-amino, Ar is 6-dimethylamino-4-methylpyrid-3-yl;

20

a compound of Formula (60) wherein R^3 is $N(Me)CH_2CH=CH_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is $N(Et)CH_2cPr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;

25

a compound of Formula (60) wherein R^3 is $N(Pr)CH_2cPr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;

- 868210-20051060
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CPr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is $NH(CH(CH_3)CH_2CH_3)$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is $NHCH(cPr)_2$ Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 15 a compound of Formula (60) wherein R^3 is $NHCH(Et)_2$ Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 20 a compound of Formula (60) wherein R^3 is 2-ethylpiperid-1-yl, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is cyclobutyl-amino, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is $N(Me)CH_2CH=CH_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)CH_2CPr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 30

203 302

- 8682T0 2005T060
- a compound of Formula (60) wherein R^3 is $N(Pr)CH_2CPr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is $N(Me)Pr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Me)Et$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is $N(Me)Bu$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Me)propargyl$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 15 a compound of Formula (60) wherein R^3 is $NH(CH(CH_3)CH(CH_3)CH_3)$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 20 a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CH=CH_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)Me$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)Et$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 30 a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)Pr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;

504 303

- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is $NH(CH(CH_3)CH_2CH_3)$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is $NHCH(cPr)_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- 15 a compound of Formula (60) wherein R^3 is $NHCH(Et)_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)_2$, Ar is 6-dimethylamino-4-methylpyrid-3-yl.
- 20 a compound of Formula (60) wherein R^3 is 2-ethylpiperid-1-yl, Ar is 6-methoxy-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is cyclobutyl-amino, Ar is 6-methoxy-4-methylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is $N(Me)CH_2CH=CH_2$, Ar is 6-methoxy-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)CH_2cPr$, Ar is 6-methoxy-4-methylpyrid-3-yl;
- 30 a compound of Formula (60) wherein R^3 is $N(Pr)CH_2cPr$,

205 304

868270 20057060

Ar is 6- methoxy -4-methylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(Me)Pr, Ar is
6- methoxy -4-methylpyrid-3-yl;

5

a compound of Formula (60) wherein R^3 is N(Me)Et, Ar is
6- methoxy -4-methylpyrid-3-yl;

10

a compound of Formula (60) wherein R^3 is N(Me)Bu, Ar is
6- methoxy -4-methylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(Me)propargyl,
Ar is 6- methoxy -4-methylpyrid-3-yl;

15 a compound of Formula (60) wherein R^3 is N(Et)propargyl,
Ar is 6- methoxy -4-methylpyrid-3-yl;

20 a compound of Formula (60) wherein R^3 is
NHCH(CH₃)CH(CH₃)CH₃, Ar is 6- methoxy -4-
methylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)-
CH₂CH=CH₂; Ar is 6- methoxy -4-methylpyrid-3-yl;

25 a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Me,
Ar is 6- methoxy -4-methylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Et,
Ar is 6- methoxy -4-methylpyrid-3-yl;

30

a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Pr,
Ar is 6- methoxy -4-methylpyrid-3-yl;

- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, Ar is 6-methoxy-4-methylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is $NHCH(CH_3)CH_2CH_3$, Ar is 6-methoxy-4-methylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is $NHCH(cPr)_2$ Ar is 6-methoxy-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)_2$, Ar is 6-methoxy-4-methylpyrid-3-yl;
- 15 a compound of Formula (60) wherein R^3 is $NHCH(Et)_2$ Ar is 6-methoxy-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)_2$, Ar is 6-methoxy-4-methylpyrid-3-yl;
- 20 a compound of Formula (60) wherein R^3 is 2-ethylpiperid-1-yl, Ar is 4-methoxy-6-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is cyclobutyl-amino, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is $N(Me)CH_2CH=CH_2$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 30 a compound of Formula (60) wherein R^3 is $N(Et)CH_2cPr$, Ar is 4-methoxy-6-methylpyrid-3-yl;

~~207~~ 306

0015002 012898 868210 2005T060

- 09015002.012898
- a compound of Formula (60) wherein R^3 is $N(Pr)CH_2CPr$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is $N(Me)Pr$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Me)Et$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is $N(Me)Bu$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Me)propargyl$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 15 a compound of Formula (60) wherein R^3 is $NHCH(CH_3)CH(CH_3)CH_3$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 20 a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)-CH_2CH=CH_2$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)Me$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)Et$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)Pr$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 30

- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is $NH(CH(CH_3)CH_2CH_3)$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is $NHCH(cPr)_2$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)_2$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 15 a compound of Formula (60) wherein R^3 is $NHCH(Et)_2$, Ar is 6-methoxy-4-methylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)_2$, Ar is 4-methoxy-6-methylpyrid-3-yl;
- 20 a compound of Formula (60) wherein R^3 is 2-ethylpiperid-1-yl, Ar is 4,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is cyclobutyl-amino, Ar is 4,6-dimethylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is $N(Me)CH_2CH=CH_2$, Ar is 4,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)CH_2cPr$, Ar is 4,6-dimethylpyrid-3-yl;
- 30 a compound of Formula (60) wherein R^3 is $N(Pr)CH_2cPr$,

309 308

09015002.012898

Ar is 4,6-dimethylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(Me)Pr, Ar is
4,6-dimethylpyrid-3-yl;

5

a compound of Formula (60) wherein R^3 is N(Me)Et Ar is
4,6-dimethylpyrid-3-yl;

10

a compound of Formula (60) wherein R^3 is N(Me)Bu, Ar is
4,6-dimethylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(Me)propargyl,
Ar is 4,6-dimethylpyrid-3-yl;

15

a compound of Formula (60) wherein R^3 is N(Et)propargyl,
Ar is 4,6-dimethylpyrid-3-yl;

20

a compound of Formula (60) wherein R^3 is
NHCH(CH₃)CH(CH₃)CH₃, Ar is 4,6-dimethylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)-
CH₂CH=CH₂, Ar is 4,6-dimethylpyrid-3-yl;

25

a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Me,
Ar is 4,6-dimethylpyrid-3-yl;

a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Et,
Ar is 4,6-dimethylpyrid-3-yl;

30

a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Pr,
Ar is 4,6-dimethylpyrid-3-yl;

- a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)-CH_2cPr$, Ar is 4,6-dimethylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is $NHCH(CH_3)CH_2CH_3$, Ar is 4,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $NHCH(cPr)_2$, Ar is 4,6-dimethylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)_2$, Ar is 4,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $NHCH(Et)_2$, Ar is 4,6-dimethylpyrid-3-yl;
- 15 a compound of Formula (60) wherein R^3 is $N(Et)_2$, Ar is 4,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is 2-ethylpiperid-1-yl, Ar is 2,6-dimethylpyrid-3-yl;
- 20 a compound of Formula (60) wherein R^3 is cyclobutyl-amino, Ar is 2,6-dimethylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is $N(Me)CH_2CH=CH_2$, Ar is 2,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is $N(Et)CH_2cPr$, Ar is 2,6-dimethylpyrid-3-yl;
- 30 a compound of Formula (60) wherein R^3 is $N(Pr)CH_2cPr$, Ar is 2,6-dimethylpyrid-3-yl;

-24 316

09015002 012898 868270 20051060

- a compound of Formula (60) wherein R^3 is N(Me)Pr, Ar is 2,6-dimethylpyrid-3-yl;
- 5 a compound of Formula (60) wherein R^3 is N(Me)Et, Ar is 2,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is N(Me)Bu, Ar is 2,6-dimethylpyrid-3-yl;
- 10 a compound of Formula (60) wherein R^3 is N(Me)propargyl, Ar is 2,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is
- 15 NH(CH(CH₃)CH(CH₃)CH₃), Ar is 2,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)-CH₂CH=CH₂, Ar is 2,6-dimethylpyrid-3-yl;
- 20 a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Me, Ar is 2,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Et, Ar is 2,6-dimethylpyrid-3-yl;
- 25 a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)Pr, Ar is 2,6-dimethylpyrid-3-yl;
- a compound of Formula (60) wherein R^3 is N(CH₂CH₂OMe)-CH₂CPr, Ar is 2,6-dimethylpyrid-3-yl;
- 30

212 311

09015002.012898

a compound of Formula (60) wherein R^3 is
 $NH(CH(CH_3)CH_2CH_3)$, Ar is 2,6-dimethyl pyrid-3-yl;

5 a compound of Formula (60) wherein R^3 is $NHCH(cPr)_2$, Ar
 is 2,6-dimethyl pyrid-3-yl;

a compound of Formula (60) wherein R^3 is $N(CH_2CH_2OMe)_2$,
 Ar is 2,6-dimethylpyrid-3-yl;

10 a compound of Formula (60) wherein R^3 is $NHCH(Et)_2$, Ar
 is 2,6-dimethyl-pyrid-3-yl; and

a compound of Formula (60) wherein R^3 is $N(Et)_2$, Ar is
 2,6-dimethyl-pyrid-3-yl.

15

²⁶
~~29~~. A compound of claim ~~4~~ and isomers thereof,
 stereoisomeric forms thereof, or mixtures of
 stereoisomeric forms thereof, and pharmaceutically
 acceptable salt forms thereof, wherein said compound
 20 is selected from the group consisting of:

4-((2-butyl)amino)-2,7-dimethyl-8-(2-methyl-4-
 methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-triazine;

25 4-((2-butyl)amino)-2,7-dimethyl-8-(2,5-di methyl-4-
 methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-triazine;

4-((3-pentyl)amino)-2,7-dimethyl-8-(2,5-dimethyl-4-
 methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-triazine;

30

4-((3-pentyl)amino)-2,7-dimethyl-8-(2-methyl-4-
 methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-triazine;

4- (N-cyclopropylmethyl-N-propylamino)-2,7-dimethyl-8-
(2-methyl-4-methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-
triazine;

5 4- (N-cyclopropylmethyl-N-propylamino)-2,7-dimethyl-8-
(2,5-dimethyl-4-methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-
triazine;

10 4- (N-allyl-N- (2-methoxyethyl) amino)-2,7-dimethyl-8- (2-
methyl-4-methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-
triazine;

15 4- (N-allyl-N- (2-methoxyethyl) amino)-2,7-dimethyl-8-
(2,5-dimethyl-4-methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-
triazine;

4- (diallylamino)-2,7-dimethyl-8- (2-methyl-4-
methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-triazine;

20 4- (diallylamino)-2,7-dimethyl-8- (2,5-dimethyl-4-
methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-triazine;

25 4- (N-ethyl-N- (2-methoxyethyl) amino)-2,7-dimethyl-8- (2-
methyl-4-methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-
triazine; and

30 4- (N-ethyl-N- (2-methoxyethyl) amino)-2,7-dimethyl-8-
(2,5-dimethyl-4-methoxyphenyl)-[1,5-a]-pyrazolo-1,3,5-
triazine.

²⁷
~~30~~. A pharmaceutical composition comprising a
pharmaceutically acceptable carrier and a therapeutical-
ly effective amount of a compound of claims ³ 6, ⁸ N, ¹³ 16,
²⁴ ²⁵ ²⁶
~~27~~, ~~28~~ and ~~29~~.

35 ^

2/14 313

09015002 012898 868210 2005T060

31. A method of treating affective disorder, anxiety, depression, headache, irritable bowel syndrome, post-traumatic stress disorder, supranuclear palsy, immune suppression, Alzheimer's disease, gastrointestinal diseases, anorexia nervosa or other feeding disorder, drug addiction, drug or alcohol withdrawal symptoms, inflammatory diseases, cardiovascular or heart-related diseases, fertility problems, human immunodeficiency virus infections, hemorrhagic stress, obesity, infertility, head and spinal cord traumas, epilepsy, stroke, ulcers, amyotrophic lateral sclerosis, hypoglycemia or a disorder the treatment of which can be effected or facilitated by antagonizing CRF, including but not limited to disorders induced or facilitated by CRF, in mammals comprising administering to the mammal a therapeutically effective amount of a compound of claim claims 4, 6, 11, 16, 27, 28 and 29.

20

Add'l
Hadd'l
B